

AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A computing device comprising:
 - a housing adapted to receive at least one processor;
 - a fan mounted within said housing, the fan having a low operational velocity and a correspondingly low acoustic signature of less than about 36 dB, the acoustic signature being proportional to the operational velocity of the fan, the fan also having a diameter that is configured in size for enabling the fan to cool the at least one processor at the low operational velocity; and
 - a support structure for mounting said fan within said housing and for limiting electromagnetic interference caused by said at least one processor, ~~the support structure further including a plurality of holes formed therethrough;~~
2. (Previously Presented) A computing device as recited in claim 1, wherein the fan has an axis of rotation substantially parallel to a height of the housing.
3. (Original) A computing device as recited in claim 1, wherein said housing is adapted to receive at least one of a power supply assembly, a hard drive assembly, and a mother board assembly.
4. (Original) A computing device as recited in claim 1, wherein said housing comprises a cover and a carriage, both said cover and said carriage comprises a plurality of vents.

5. (Original) A computing device as recited in claim 1, wherein said fan is a fan selected from the group consisting of a ball bearing fan, a sleeve bearing fan, and a oil bearing fan.

6. (Cancelled).

7. (Original) A computing device as recited in claim 1, wherein said fan is a variable speed fan.

Claim 8 (Cancelled).

9. (Previously Presented) A computing device as recited in claim 1, wherein support structure is configured to suppress electromagnetic energy generated by a processor.

10. (Currently Amended) A computing device as recited in claim 1, wherein the support structure comprises a plurality of holes that are each ~~each of said plurality of holes is~~ configured to allow air to flow therethrough.

11. (Currently Amended) A computing device as recited in claim 1, ~~wherein said support structure further comprises~~ comprising at least one dampening member disposed between said fan and said ~~housing~~ support structure, said at least one dampening member acoustically dampening said fan from said housing.

12. (Original) A computing device as recited in claim 1, wherein said housing comprises a baffle, said baffle being configured to direct air flowing from said fan.

13. (Original) A computing device as recited in claim 12, wherein said baffle comprises at least one aperture for allowing air to flow from said fan.

14. (Original) A computing device as recited in claim 1, wherein said housing comprises a plurality of vents, at least one of said plurality of vents being disposed in at least one of a back portion, a front portion, a side portion, and a top portion of said housing.

15. (Previously Presented) A computing device comprising:
- a housing having a height;
 - a processor positioned in the housing;
 - a smart card;
 - a fan mounted within said housing, , said fan being mounted within said housing such that the fan draws air from outside the housing over the smart card and then over the processor; and
 - a support structure for mounting said fan within said housing and for suppressing electromagnetic interference caused by said at least one processor.
16. (Original) A computing device as recited in claim 15, wherein the housing comprises a cover and a carriage.
17. (Previously Presented) A computing device as recited in claim 15, wherein the fan has an axis of rotation substantially parallel to a height of the housing.
18. (Previously Presented) A computing device as recited in claim 15, wherein selection of the fan is based upon at least one of (i) the flow rate of air moved by the fan, (ii) the static pressure associated with the fan, (iii) the acoustic noise generated by the fan, and (iv) the physical dimensions of the fan.
19. (Original) A computing device as recited in claim 15, wherein support structure comprises a plurality of apertures therethrough.

20. (Previously Presented) A computing device as recited in claim 19, wherein the support structure is adapted to suppress electromagnetic energy generated by the at least one processor.

21. (Original) A computing device as recited in claim 20, wherein at least one the plurality of apertures is configured to direct air drawn by the means for drawing to at least one of a motherboard assembly, a power assembly, and a hard disk assembly retained within the means for retaining.

22. (Original) A computing device as recited in claim 15, further comprising a baffle configured to direct the air drawn by the means for drawing.

23. (Original) A computing device as recited in claim 22, wherein the baffle has an L-shaped configuration.

24. (Original) A computing device as recited in claim 22, wherein the baffle has a T-shaped configuration.

25. (Original) A computing device as recited in claim 22, wherein the baffle comprises at least one aperture adapted to allow air to flow through the baffle.

26. (Currently Amended) A computing device comprising:

a housing comprising at least one vent and having a height, the height being smaller than both a width and a depth of the housing;

at least one processor mounted within the housing;

a support structure coupled to the housing and adapted to suppress emission of electromagnetic energy generated by the at least one processor and comprising a plurality of apertures adapted to allow air to flow therethrough; and

a fan mounted to the support structure and being adapted to draw air through the at least one vent, the fan having a sufficiently low operational velocity for enabling operation of the fan without generating an acoustic signature of more than about 36 dB, the acoustic signature being proportional to the operational velocity of the fan, the fan also having a diameter larger than the height of the housing for enabling the fan to cool the at least one processor at the sufficiently low operational velocity, the fan also having an axis of rotation that is substantially parallel to the height of the housing.

27-29. (Cancelled).

31. (Currently Amended) A computing device as recited in claim ~~30~~26, wherein said support structure is configured to limit the electromagnetic interference caused by said at least one processor.

Claim 32 (Cancelled).

33. (Currently Amended) A computing device as recited in claim ~~29~~26, wherein said housing is adapted to receive at least one of a power supply assembly, a hard drive assembly, a motherboard assembly, a smart card, and a baffle.

34. (Original) A computing device as recited in claim 33, wherein said fan is adapted to draw air toward the fan, the air passing over at least one of said power supply assembly, said hard drive assembly, said motherboard assembly, a smart card, and said baffle.

35. (Original) A computing device as recited in claim 33, wherein said fan is adapted to force air from the fan, the air passing over at least one of said power supply assembly, said hard drive assembly, said motherboard assembly, a smart card, and said baffle.

36. (Currently Amended) A computing device as recited in claim ~~29~~26, wherein said fan is configured to generate acoustic noise of between about 28 dB to about 35 dB.

37. (Currently Amended) A computing device as recited in claim ~~29~~26, wherein said fan is configured to generate acoustic noise of between about 25 dB and about 30 dB.

38. (Currently Amended) A computing device as recited in claim ~~29~~26, wherein the fan is a variable speed fan.

39. (Cancelled).